

Having a general idea about the running time of an algorithm is very important for both programmers and the users. Big-O notation is designed to capture the worst-case running time of an algorithm as a function of the size of the input.

---

### Definition: Big-Oh Notation

Let  $f, g : \mathbb{N} \rightarrow \mathbb{R}^+$ . We say that  $f$  is “big-oh” of  $g$ , written  $f = \mathcal{O}(g)$ , or  $f \in \mathcal{O}(g)$ , if ...

**Remark 1:** A useful way of determining big-O of a function:

**Remark 2:** The big-O notation is not sensitive to multiplicative constants, lower order terms, or the basis of a logarithm.

**Example:** a)  $f(n) = 2n^3 + 3n^2 + 100$       b)  $f(n) = n + 10\sqrt{n} + \log(n)$       c)  $f(n) = 2^n + n^7 + 10^3$

**Question:** Suppose  $f(n)$  is  $\mathcal{O}(g(n))$  and  $g(n)$  is  $\mathcal{O}(h(n))$ . Is it true that  $f(n)$  is  $\mathcal{O}(h(n))$  ?

**Question:** What is  $\mathcal{O}(1)$ ? What is  $\mathcal{O}(n)$ ?

**Example 1:** What is the best-case, worst-case and average case running time of the sequential search algorithm? (searching an array  $a$  for a specific item  $t$ ).

```
for(int i=0; i<n;i++)
    if(a[i]==t) return true;
return false;
```

What if we search two arrays?

**Example 2:** What is the best-case, worst-case and average case running time of the binary search algorithm?

**Example 3:** What is the number of steps to solve the towers of Hanoi puzzle?

**Example 4:** What is the running time of the bubble sort algorithm? Is there any difference between the best-case and worst case?

```
for i ∈ {1,2,3,...,n-1} do
  for j ∈ {1,...,n-i} do
    if (xj > xj+1) then swap(xj,xj+1)
```

**Example 5:** Matrix multiplication. The following code multiplies two  $n \times n$  matrices  $A$  and  $B$ , and stores the result in another matrix  $C$ . Determine its running time in Big-Oh notation.

```
void matrixmult(int n, const int A[][n], const int B[][n], int C[][n])
{
  int i,j,k;
  for( i=1; i<=n; i++){
    for( j=1; j<=n;j++){
      C[i][j]=0;
      for( k=1; k<=n;k++)
        C[i][j]=C[i][j]+A[i][k]*B[k][j];}}
}
```

**Polynomial Time Algorithms:** An algorithm is called a polynomial time algorithm if

**Size of the Input and Number Theoretic Algorithms** Consider the brute-force algorithm to determine whether a given integer is prime? PRIMES is in P.

**Remark:** If the input for a number theoretical algorithm is integer  $n$ , then the size of the input is taken to be ..... which is .....

**Example:** Computational Complexity of Addition, Multiplication and Division